



EQUIPMENT SYSTEM



SYSTEM RANGE



ENGINEERED FOR THE MOST DEMANDING TRADES IN THE WORLD

For professional users, productivity and safety are the keys to success. The ability to find solutions that will keep up with the breadth and depth of their work is imperative. The MILWAUKEE® cordless MX FUEL™, M18™, and M12™ systems complement each other to provide the right blend of power, performance and run time for the job at hand.

MX FUEL™ revolutionises the light equipment market by delivering the performance, run time, and durability demanded by the trades without the hazards associated with emissions, noise, vibration, and the frustrations of petrol maintenance. Capabilities beyond what is expected of cordless tools today.



EQUIPMENTREDEFINED

This system goes beyond the limitations of petrol and power-cord units, to deliver a best-in-class experience for users.

Redefining the limits of light equipment.



TRADE FOCUSED

MX FUEL™ extends Milwaukee Tool's to the trades it serves. Bringing new solutions to trade frustrations.



HEAVY DUTY WARRANTY

MILWAUKEE® tools & batteries come with a standard 1 year warranty.

Warranty extensions are available by visiting milwaukeetool eu.


IX FUEL" tools warranty can be extended from 1 year to a maximum of 2 years (1+1).

IX FUEL" batteries come with a standard 1 year warranty which can be extended to a naximum of 2 years (1+1). All warranty extensions are subject to registering on-line within 0 days of the purphese date.

EMISSIONS

Every MILWAUKEE® tool is tested according to a comprehensivecertified process before leaving the factory and is guaranteed to be NOTHING BUT HEAVY <u>DUTY</u> qualified.

At MILWAUKEE® Tool we take great pride in the products and services we offerto our professional customers. The warranty extension is only available in those countries listed on our warranty registration website. The extended warranty offer excludes products used in the hire industry, battery chargers and accessories supplied. For full terms and conditions please see milwaukeetool.eu.



With the elimination of fumes and emissions with this new platform, this allows the user to improve their carbon footprint, as well as improving health and safety, as harmful fumes, noise and vibrations associated with the running of this light equipment are eliminated.

As a result, this increases productivity as this allows users to work indoors, in trenches, in tunnels or even in mines, without any petrol headaches. This new system not only saves the end user time with refuelling and starting up, but provides a cost saving on petrol consumption and engine maintenance.

Comparing MX FUEL™ to their direct petrol-driven competitors, in one year a user can save up to 526 kg in CO₂ from being emitted into the atmosphere.



NO EMISSIONS



NO MIXING PETROL AND OIL





NO PULL START

SYSTEMWIDE

We are committed to protecting our user's investments by providing high performing solutions that are fully compatible with MX FUEL™ REDLITHIUM™ batteries.





UNRIVALLED TECHNOLOGY*

REDLITHIUM™ BATTERY PACK

Industry leader in lithium-ion technology

Patented design protects against drops, water and harsh environments

Robust electronics optimise performance for every equipment and battery combination



2 REDLINK PLUS™ INTELLIGENCE

Most advanced system of equipment electronics in the industry

Protects equipment with one of its kind thermal and overload monitoring

Delivers in-application communication, optimising equipment performance

POWERSTATE" BRUSHLESS MOTOR

Engineered uniquely for the demands of each piece of equipment

Optimised for the perfect combination of performance, portability and productivity

Built with maximum magnet content and top-grade rare earth magnets for optimising equipment performance



ONE-KEY™ is a digital platform for tools and equipment, built to help jobs run smoother.

Track, manage and secure your equipment from any smart mobile device or computer using the industry's largest Bluetooth® community tracking network. If ever lost or stolen, prevent tampering with remote lockout capability.

Learn more at milwaukeetool.eu/one-key

ALL MX
FUEL™ TOOLS
AND THE
MXF XC406
BATTERY
PACK HAVE
ONE-KEY™
TECHNOLOGY
BUILT-IN



milwaukeetool.eu





BATTERY PACKS AND CHARGERS

WORLD LEADER IN LITHIUM BATTERY INNOVATION



SUPERIOR PACK CONSTRUCTION

Triple pack construction impact resitant housing, up to two subcores and up to 5x more rubber overmould to protect against drops, vibration, water, and extreme temperatures. This significantly improves durability in the most demanding equipment applications.



REDLINK™ intelligence provides industry-leading communication between the battery, equipment and chargers ensuring optimum equipment performance during the entire discharge, and battery life.

WORLD LEADING CELL TECHNOLOGY

MX FUEL[™] REDLITHIUM[™] batteries leverage the best-performing and highest-quality lithium-ion technology, developed through deep partnerships with world leaders in cell design. MILWAUKEE® ensures optimum performance and life for the most demanding equipment applications through rigorous in-house testing in Milwaukee Tool's own world-class battery laboratory.





	MXF XC406	MXF CP203
Compatibility	Fits all MX FUEL™ equipment	Fits all MX FUEL™ equipment
Charge duration	90 min	55 min
Capacity	6.0 Ah	3.0 Ah
Fuel gauge	Yes	Yes
REDLINK™ intelligence	Yes	Yes
ONE-KEY™ compatible	Yes	No
Article number	4933471837	4933471838



	MXF C
Compatibility	CP + XC packs
Charge time	MXF CP406 – 90 min, MXF CP203 – 55 min
On-board fan	Yes
REDLINK™ intelligence	Yes
Cell voltage monitoring	Yes
Article number	4933471839



MXF XC406

MX FUEL™ REDLITHIUM™ 6.0 AH BATTERY

Article number: 4933471837

- ✓ MX FUEL™ REDLITHIUM™ batteries leverage the bestperforming and highest-quality lithium-ion technology
- Delivering AC power in a compact and portable battery pack, allowing users to work in areas where power cords will struggle to reach
- ✓ MX FUEL™ REDLITHIUM™ batteries utilise unique design to protect against drops, vibration, water, and extreme temperatures
- ✓ Operates down to -28.0° temperature
- Most advanced electronic power management system communicates with the tool in order to deliver full power in balance with maximum durability
- ✓ Enables the user to run tools in confined spaces as well as indoors or in trenches
- ✓ Offering a new solution in comparison to petrol
- ✓ ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention

MXF C

MX FUEL™ CHARGER™

Article number: 4933471839

- ✓ Charges MXF CP203 battery pack in 55 min
- ✓ Chargers MXF XC406 battery pack in 90 min
- ✓ REDLINK intelligence™ optimise the charge rate (4.5 A/h) for each battery to minimise charge time
- ✓ LED Light indicates 80% state of charge under 30/55 min (CP/XC)
- ✓ On-board carry handle



MXF CP203

MX FUEL™ REDLITHIUM™ 3.0 AH BATTERY

Article number: 4933471838

- ✓ MX FUEL™ REDLITHIUM™ batteries leverage the bestperforming and highest-quality lithium-ion technology
- Delivering AC power in a compact and portable battery pack, allowing users to work in areas where power cords will struggle to reach
- ✓ MX FUEL™ REDLITHIUM™ batteries utilise unique design to protect against drops, vibration, water, and extreme temperatures
- ✓ Operates down to -28.0° temperature
- ✓ Most advanced electronic power management system communicates with the tool in order to deliver full power in balance with maximum durability
- ✓ Enables the user to run tools in confined spaces as well as indoors or in trenches
- ✓ Offering a new solution in comparison to petrol

MXF NRG-406

MX FUEL™ NRG KIT

Article number: 4933479160

✓ Kit included: 2 x MXF XC406

Battery packs, MXF C Charger



MXF XC-2406

MX FUEL™ BATTERY KIT

Article number: 4933479162



✓ Kit included: 2 x MXF XC406 Battery packs

MXF CP-2203

MX FUEL™ BATTERY KIT



Article number: 4933479161

✓ Kit included: 2 x MXF CP203 Battery packs

6 milwaukeetool.eu



MXF CVBP





UP TO 40 M³ OF CONCRETE

ON MXF XC406 BATTERY PACK WITH A 38 MM HEAD AND A 2 M SHAFT

HIGHER PRODUCTIVITY

FEATURES

- ✓ The MX FUEL™ Backpack Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for a AC socket on the jobsite
- ✓ It has the power to push up to Ø63 mm head at over 11,000 VPM for optimal consolidation, even in the stiffest concrete
- ✓ The push-button start delivers instant power, eliminating the repetitive motions of a pull start and reducing downtime, allowing you to get jobs done faster without sacrificing the power and run time you expect
- ✓ The modular design makes it easy to remove the backpack harness for walls and columns
- ✓ It can accept shafts up to 6.4 m long and heads up to Ø63 mm without sacrificing power
- ✓ The wireless remote gives you the ability to turn the machine on from up to 9 m away for more freedom when using long shafts
- ✓ MX FUEL™ next generation POWERSTATE™ brushless motor, REDLINK PLUS™ electronics and REDLITHIUM™ battery pack deliver superior performance, durability and run time in high demand applications
- cloud-based inventory management platform

✓ ONE-KEY[™] tool tracking & security offers a that supports both location tracking and theft

- ✓ Supplied with remote control
- ✓ System attachments, heads and shafts are available separately

BUILD YOUR KIT

MXF CVBP-602

MX FUEL™ BACKPACK CONCRETE **VIBRATOR**

Article number: 493347959





	MXF CVS - Vibrator shaft 2 m
Length (m)	2
Recommended for	Baseplates, floors & footings
Article number	4932478611



	Vibrator shaft 4 m	
Length (m)	4	
Recommended for	Walls & collumns	
Article number	4932478610	



	MXF CVH - Vibrator head 38 mm
Diameter (mm)	38
Article number	4932478612



	MXF CVH - Vibrator head 50 mm		
Diameter (mm)	50		
Article number	4932478613		

SPECIFICATIONS

	MXF CVBP-0	MXF CVBP-602	MXF CVBPKIT-602
Vibrations (vpm) 11,200		11,200	11,200
Size (L x W x H) (mm) 320 x 320 x 680		320 x 320 x 680	320 x 320 x 680
Weight with battery pack (kg)	ight with battery pack (kg) - 15.7		15.7
Standard equipment	1 x Remote control	1 x Remote control	1 x Remote control, 1 x MXF CVS-2 m, 1 x MXF CVH-38 mm
Kit included No batteries supplied, No charger supplied No kitbox or bag supplied		2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number 4933479595		4933479591	4933479593



M18 BPFPH-0

REDSTICK™ CONCRETE LEVEL



60 CM NON-MAGNETIC	120 CM NON-MAGNETIC	180 CM NON-MAGNETIC
4932459893	4932459894	4932459895







M: 4932471908 / L: 4932471909 / XL: 4932471910 / XXL: 493247191



S/M: 4932471895 / L/XL: 4932471896 / 2XL/3XL: 4932471897

MXF COS350

MX FUEL™ 350 MM CUT-OFF SAW



START TO FINISH

FEATURES

- ✓ The world's first 350 mm battery powered cutoff saw to deliver the power to cut reinforced concrete with a full 350 mm cut capacity
- ✓ Faster cuts, start to finish: 3 second push button start up eliminates the need to mix petrol and oil, and avoids petrol engine maintenance
- ✓ No petrol headaches: Can be used indoors due to zero fume emissions
- ✓ Petrol-equivalent performance with a maximum no-load speed of 5350 rpm and a full 125 mm depth of cut
- ✓ Quieter than other petrol equivalent saws, with a low engine vibration and well-balanced weight
- ✓ Keyless adjustable blade guard & on-board water line for wet cutting which is compatible with the M18™ SWITCH TANK™ interchangeable sprayer and water
- Separately available cut-off saw cart MXF COSC to maintain straight cuts
- ✓ MX FUEL™ next generation POWERSTATE™ brushless motor, REDLINK PLUS™ electronics and REDLITHIUM™ battery pack deliver superior performance, durability and run time in high demand applications
- ✓ ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- ✓ Supplied with HUDD 350 mm diamond blade (4932471985), contractor bag for batteries and

SPECIFICATIONS

	MXF COS350-0	MXF C0S350-602	
No load speed (rpm)	5350	5350	
Blade diameter (mm)	350	350	
Max. cutting depth (mm)	125	125	
Weight with battery pack (kg)	-	16.7	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	
Article number	4933478984	4933464881	



- ✓ Light weight 350 mm cut-off saw cart to maintain straight cuts with full 125 mm depth of cut capacity
- Height-adjustable drive handle and easy to reach depth adjustme handle to facilitate one-handed operation
- ✓ Tool-free machine and water tank attachment compatible with the M18[™] SWITCH TANK™ interchangeable sprayer and water supply system
- ✓ Full mobility with on-board spare battery storage
- ✓ Easily collapsible for transport and storage
- ✓ Supplied with 11.4 I gravity feed tank

M18 BPFPH-0

M18 SWITCH TANK

Article number: 4933464961

- ✓ The M18[™] SWITCH TANK[™] 15 I backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping
- ✓ The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™ powered base
- ✓ 120 PSI (8,27 Bar) pump pressure
- ✓ Up to 2 hours of run time (12 or more tanks) with M18™ 4.0 Ah battery pack

M18 BPFP-WST

15 L WATER **SPRAYER TANK**

Article number: 4933464965

- ✓ Fully compatible with SWITCH TANK™
- ✓ Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and
- ✓ Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- ✓ Carry handle lid with wide mouth makes easy transport and pouring of water into tank



MAXIMUM SPEED, LONG LIFE. **LOW VIBRATION!**

- ✓ Universal blades for a variety of materials
- ✓ Classed into two categories for maximum lifetime
- ✓ 8 mm segment height to ensure long lifetime
- ✓ Laser welded segments for best performance



HUDD HARD UNIVERSAL

PREMIUM SPEEDCROSS HUDD







size n)	Segment height (mm)	Cutting width (mm)	Article number

DIAMOND **BLADE DUH**







✓ A trade laser welded quality blade with exceptional performance in hard

Туре	Disc diameter (mm)	Bore size (mm)	Segment height (mm)	Cutting width (mm)	Article number
DUH 350	350	25.4	10	2.8	493247198

PREMIUM STEELHEAD™ BLADE





- ✓ High density of special brazed diamonds ensure a very aggressive cutting progress
- \checkmark Due to the versatility and the outstanding performance the diamond disc is also perfect for fire brigades and for rescue operations

Туре	Disc diameter (mm)	Bore size (mm)	Segment height (mm)	Cutting width (mm)	Article number
STEELHEAD™ 350	350	25.4	4	2.8	4932471988

THIN METAL **CUTTING DISC**

Article number: 4932471989

- ✓ Suitable for steel only





THIN STONE/DUCTILE **CUTTING DISC**

Article number: 4932472264

- ✓ Suitable for abrasive stone materials and ductile iron pipe



MXF DCD150

MX FUEL 150 MM DIAMOND CORE DRILL







POWERSTATE BRUSHLESS MOTOR

CORE CONFIDENCE

CORE UP TO 152 MM HOLES

HIGHER **PRODUCTIVITY DUE TO LOWER SET UP TIME**

FEATURES

- ✓ Core with more confidence by delivering AC performance with a maximum core diameter capacity of 152 mm wet & dry
- ✓ 2 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body
- ✓ Speed 1: up to 75 mm diameter wet & dry coring at 1600 rpm
- ✓ Speed 2: 76 to 152 mm diameter wet & dry coring 800 rpm
- ✓ Patented AUTOSTOP™ clutch provides best in class protection, preventing over rotating if core binds
- ✓ On-board level sensor guides the user to achieve a straight and accurate finish
- ✓ On-board pressure gauge allows user to optimise drilling speed
- ✓ On-board battery gauge allows the user to monitor battery capacity during entire drilling process
- ✓ Integrated water line for wet coring that is compatible with the M18™ SWITCH TANK™ interchangeable sprayer and water supply
- ✓ 1 ½" UNC + ½"G core fitting to fit most common cores, with friction plate design allowing for easy core changes

- ✓ Separately available core drill stand MXF DR255TV with 60 mm collar - 60 mm mount on the core drill fits most universal core stands
- ✓ MX FUEL™ next generation POWERSTATE™ brushless motor, REDLINK PLUS™ electronics and REDLITHIUM™ battery pack deliver superior performance, durability and run time in high demand applications
- ✓ ONE-KEY[™] tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft

SPECIFICATIONS

	MXF DCD150-0C	MXF DCD150-302C	MXF DCD150-302C KIT
No load speed (rpm)	0-800/0-1600	0-800/0-1600	0-800/0-1600
Drilling capacity in concrete 1st/2nd gear (mm)	76 – 152/25 – 76	76 – 152/25 – 76	76 – 152/25 – 76
Tool reception	1 ¼" UNC + ½" G	1 ¼" UNC + ½" G	1 ¼" UNC + ½" G
Standard equipment	Trigger lock-on, side handle	Trigger lock-on, side handle	Trigger lock-on, side handle, MXF DR255TV drill stand
Weight with battery pack (kg)	-	12.4	12.4
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x MXF CP203 Battery packs, MXF C Charger, Kitbox	2 x MXF CP203 Battery packs, MXF C Charger, Kitbox
Article number	4933478986	4933464887	4933471835



- See page 11 for more information



MX FUEL™ PREMIUM DIAMOND DRILLING STAND

Article number: 4933472247

- ✓ For drilling holes up to Ø 250 mm extra-long column for use with MILWAUKEE® cordless MXF DCD150 diamond drilling tool
- ✓ Integrated vacuum base allows for vacuum or traditional anchoring of stand
- ✓ Universal 60 mm quick connect motor bracket
- ✓ Concrete fixing kit included (Article number: 4932399731



VACUUM PUMP

Article number: 4932352094

- ✓ For fastening of the diamond drill rig on smooth and even surfaces
- ✓ Suction capacity: 850 mbar
- ✓ Max. vacuum pressure: 6 m³/h/ 100 l/min
- ✓ Rated voltage: 220-240 V
- ✓ Supplied with 5 m hose with DW7 connection

STAND FIXINGS KIT Article number: 4932399731

- ✓ Ø 16 mm drill bit is required to set the drop anchor
- ✓ Kit includes stud bolt, setting tool, wing nut, washer and 5 pcs of M12 drop anchor

REPLACEMENT **VACUUM SEAL**

Article number: 4931400613

- ✓ Replacement vacuum seal for MXF DR255TV
- ✓ To vacuum fix the rig on the ground/ wall

10 LITRE WATER TANK

- ✓ 10 I, steel water tank with inside and outside polyester coating
- ✓ Reliable brass pump with a max. pressure bar of 6 bar. 2.5 m hose with quick connection system fits direct to MILWAUKEE®

WATER **COLLECTION RING**

- ✓ Aluminium water collection ring for wet drilling operations
- ✓ For use with max. Ø 180 mm core bits
- ✓ Suitable for overhead coring

WET DIAMOND DRILLING CORES

MX FUEL™ **THIN KERF**

- especially for MX FUEL™ tool ✓ Optimised for corded diamond drills up to 2200 Watt
- ✓ 10 mm laser welded segments for superior lifetime
- ✓ Standard ½" G reception on smaller diameters and standard 1 1/4" UNC reception on bigger diameters



(mm)	Description	reception	(mm) B	(mm) A	number
12	WCHP-TK 12	½″ G	200	270	4932472167
14	WCHP-TK 14	½″G	300	370	4932472168
16	WCHP-TK 16	½″G	300	370	4932472169
18	WCHP-TK 18	½″G	300	370	4932472170
20	WCHP-TK 20	½″G	300	370	4932472171
22	WCHP-TK 22	½″ G	300	370	4932472172
24	WCHP-TK 24	½″G	300	370	4932472173
25	WCHP-TK 25	½″G	300	370	4932472174
28	WCHP-TK 28	½″ G	300	370	4932472175
30	WCHP-TK 30	½″G	300	370	4932472176
32	WCHP-TK 32	½″G	300	370	4932472177
35	WCHP-TK 35	½″ G	300	370	4932472178
40	WCHP-TK 40	½″ G	300	370	4932472180
46	WCHP-TK 46	1 ¼″ UNC	450	525	4932478953
51	WCHP-TK 51	1 ¼″ UNC	450	525	4932472184
56	WCHP-TK 56	1 ¼″ UNC	450	525	4932472185
61	WCHP-TK 61	1 ¼″ UNC	450	525	4932472186
66	WCHP-TK 66	1 ¼″ UNC	450	525	4932472187
68	WCHP-TK 68	1 ¼″ UNC	450	525	4932478954
71	WCHP-TK 71	1 ¼″ UNC	450	525	4932472188
76	WCHP-TK 76	1 ¼" UNC	450	525	4932472189
81	WCHP-TK 81	1 ¼″ UNC	450	525	4932472190
86	WCHP-TK 86	1 ¼″ UNC	450	525	4932472191
91	WCHP-TK 91	1 ¼″ UNC	450	525	4932472192
101	WCHP-TK 101	1 ¼″ UNC	450	525	4932472193
105	WCHP-TK 105	1 ¼" UNC	450	525	4932472194
111	WCHP-TK 111	1 ¼″ UNC	450	525	4932472195
121	WCHP-TK 121	1 ¼" UNC	450	525	4932472196
126	WCHP-TK 126	1 ¼" UNC	450	525	4932478955
130	WCHP-TK 130	1 ¼″ UNC	450	525	4932472197
140	WCHP-TK 140	1 ¼″ UNC	450	525	4932472198
150	WCHP-TK 150	1 ½"TINC	450	525	4932472199

	or drilling and coring from Ø 25-1 prove suction and extraction.	52 mm.
	g only. DEK 26 standard universal co	nnection
to all MILWALIKE	® vacuum deaners	





MXF DH2528H

25 KG CLASS 28 MM HEX DEMOLITION HAMMER







2 REDLINK PLUS™ INTELLIGENCE



POWERSTATE BRUSHLESS MOTOR

AVAILABLE WITH 2 BATTERIES IN THE SET



HASSLE FREE NO CORDS OR PETROL

REDLITHIUM™ BATTERY PACK

PER CHARGE


FEATURES

- ✓ The industry's first cordless 28 mm Hex demolition hammer, delivering the power of petrol, corded and pneumatic
- ✓ Heavy Duty hammer provides 64 Joules of impact energy for toughest demolition applications
- ✓ Floating body anti-vibration technologies allows the user to work all day without reaching dangerous exposure levels
- ✓ Low 5.17 m/s² vibration allows for over 7 hrs (HAVS) non-stop productivity
- ✓ Fast material removal at 1300 BPM, providing maximum productivity in all applications

- ✓ Breaks up to 2 tons of concrete or a 12 m (20 cm deep and 30 cm wide) trench on 1 x MXF XC406 battery
- ✓ AC-equivalent tool life and service friendly with an integrated service indicator light alerting the user every 40 hours to add grease
- ✓ MX FUEL™ next generation POWERSTATE™ brushless motor, REDLINK PLUS™ electronics and REDLITHIUM™ battery packs deliver superior performance, durability and run time in high demand applications
- ✓ ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- Separately available trolley MXF DHT with 4 chisel storage locations, charger and battery storage and hammer retention strap to easily transport the tool on the jobsite
- Supplied with 1 x 28 mm Hex pointed chisel (4932459774), 1 x 28 mm Hex 35 mm flat chisel (4932459775)

SPECIFICATIONS

	MXF DH2528H-0	MXF DH2528H-602
Tool reception	28 mm K-Hex	28 mm K-Hex
Blow energy (EPTA) (J)	64	64
Max. percussion rate (bpm)	1300	1300
Vibration chiselling (m/s²)	5.17	5.17
Weight with battery pack (kg)	-	29.6
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article number	4933478985	4933464877



- ✓ Lightweight demolition hammer cart with large rubber wheels for easy transport across uneven terrain on site
- ✓ Integrated demolition hammer retention strap and full-metal fastening locations
- ✓ On-board spring-loaded storage locations for 4 chisels and charger storage dock and charger cable hook for <u>transport</u>

28 MM K-HEX CHISELS



	Description	lotal length (mm)	Blade width (mm)	Article number
1	28 mm Hex pointed chisel	400	-	4932459774
2	28 mm Hex 400 x 35 mm flat chisel	400	35	4932459775
3	28 mm Hex flat wide chisel	400	80	4932459776
4	28 mm Hex spade chisel	400	125	4932479221
5	28 mm Hex asphalt cutter	440	115	4932479222
6	28 mm Hex taper tool holder	-	-	4932479223
7	28 mm Hex tamping plate	200	200	4932479224



MXF LSDP

MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ[™]





POWERTREDZ LIFT ASSIST

MESS CONTAINED

FEATURES

- ✓ Integrated POWERTREDZ™ assists one-person usage, to move the sewer machine in and out of the service van, up and down building stairs
- ✓ Fully enclosed drum for best protection and mess containment
- ✓ Power to clear roots at 60 m
- ✓ Electronic non-slip foot pedal combined with an integrated drum brake electronically slows the drum very quickly for maximum user control and safety
- ✓ Drum capacity for 16 mm x 30 m long and 20 mm x 30 m long drain cleaning cables
- ✓ ONE-KEY[™] tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- \checkmark MX FUEL[™] next generation POWERSTATE[™] brushless motor, REDLINK PLUS™ electronics and REDLITHIUM™ battery pack deliver superior performance, durability and run time in high demand applications
- ✓ Supplied with 1 x 7.6 m and 1 x 15.2 m inner core cable (20 mm), 1 x 9 pc head attachment

SPECIFICATIONS

	MXF LSDP-301
No load speed (rpm)	200
Drain capacity (mm)	75–200
Spiral diameter (mm)	20
Spiral length (m)	23
Weight with battery pack (kg)	56.6
Kit included	1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied
Article number	4933471851



DRUM **HEADS**

STRAIGHT AUGER

RETRIEVAL OF LOOSE OBJECTS SUCH AS HAIRS

	1	
	Laurer	

Description	Article number
Straight auger	48532830

FUNNEL RETRIEVER

RETRIEVAL OF LOOSE OBJECTS SUCH AS CLO



Description	Article number
Funnel retriever	48532831

ROOT CUTTERS



AL OF ROOTS	
-X/	

3	$\sim 1/2$
137%	

Description	Article number
75 mm root cutter	48532832





Description | Article number



Description	Article number
150 mm root cutter	48532834

OPENING TOOL

OPENING CORE OF CLOG



Description	Article number
Small opening tool	48532835



Descr	ption	Article number
Med openin		48532836

CHAIN KNOCKERS CLEARING OUT GREASE CLOGS



Description	Article number
70 mm chain knocker	48532837

|--|

Description	Article number
100 mm chain knocker	48532838

HEAD **ATTACHMENT** KIT



Description	Article number
Head attachment kit	48532840

COUPLING **END CABLES**


Dimensions	Article number
16 mm x 7.6 m	4932471701
16 mm x 15.2 m	4932471702
20 mm x 7.6 m	4932471703
20 mm x 15 m	4932471704

ANCHOR CABLE

Length	Article number
16 mm	4932471707

LEADER CABLE

Dimensions	Article number
16 mm x 60 cm	4932471708
20 mm x 60 cm	4932471709



PORTABLE 3 M LIGHT **INSIDE/OUTSIDE** 27,000 **TASK OR AREA LIGHTING**


WITHSTANDS THE **STORM**

FEATURES

- ✓ TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- ✓ Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed
- ✓ High mobility with two big all-terrain wheels, this tower light is easy to transport across wet and uneven job site terrains with minimum effort
- ✓ Due to the integrated motorised mast, the tower light is capable to be set up in less than 10 sec. The mast is extendable up to 3.10 meter and can withstand up to 55 km/h of wind
- ✓ To withstand the toughest conditions on the toughest job sites, the MX FUEL™ Tower Light is built with durable, high impact polycarbonate lenses that delivers superior impact durability
- √ A sealed battery box ensures batteries are kept protected from the elements at all times
- ✓ Integrated ONE-KEY™ application for customise, track, and manage from your mobile device. Easy to set the run time which will adjust the output to give constant illumination for the job at hand, and check the remaining battery charge to know when it's time to change the battery
- ✓ The built-in MX FUEL™ charger gives you the freedom to charge any MX FUEL™ battery in the AC mode







DOWNLOAD THE FREE ONE-KEY™ APP VIA THE APP STORE OR GOOGLE PLAY STORE.





PLEASE SEE OUR POWERTOOLS AND ACCESSORIES CATALOGUES FOR MORE INFO, OR GO ONLINE AT MILWAUKEETOOL.EU

Techtronic Industries Middle East & Africa FZCO

Jafza One, Tower A 21st floor, Office No. 2109 & 2110 Jebel Ali Free Zone PO BOX 61254 Dubai Tel: +971 4 884 1648

Fax: +971 4 884 1704

Distributed by: